

Refine Search

Search Results -

Terms	Documents
L215 and @pd > 20051024	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L216

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Tuesday, October 25, 2005 [Printable Copy](#) [Create Case](#)

Set

Name Query

side by
sideHit
CountSet
Name
result
set

DB=USPT; PLUR=YES; OP=OR

L216 L215 and @pd > 20051024

0 L216

L215 '4829422'.pn.

1 L215

L214 '4829422'.pn.

1 L214

L213 '5050070'.pn.

1 L213

L212 '5179702'.pn.

1 L212

L211 '5230051'.pn.

1 L211

L210 '5465329'.pn.

1 L210

L209 '5513328'.pn.

1 L209

L208 '5617537'.pn.

1 L208

L207 '5841973'.pn.

1 L207

L206 '5841973'.pn.

1 L206

L205 '5900020'.pn.

1 L205

L204 '5901326'.pn.

1 L204

<u>L203</u> '5938765'.pn.	1 <u>L203</u>
<u>L202</u> '6029205'.pn.	1 <u>L202</u>
<u>L201</u> '6029205'.pn.	1 <u>L201</u>
<u>L200</u> '6182152'.pn.	1 <u>L200</u>
<u>L199</u> '6182152'.pn.	1 <u>L199</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<u>L198</u> L194 and L197.	10 <u>L198</u>
<u>L197</u> (uninterruptible or atomic) near operation	2167 <u>L197</u>
<u>L196</u> restor\$3 near negative near value	9 <u>L196</u>
<u>L195</u> L48 and L194	51 <u>L195</u>
<u>L194</u> ((swap\$4 or exchange\$3) near add\$5)	4269 <u>L194</u>
<u>L193</u> L190 and L58	117 <u>L193</u>
<u>L192</u> L190 and L191	9 <u>L192</u>
<u>L191</u> (uninterruptible or atomic)	215279 <u>L191</u>
<u>L190</u> negative near operand	382 <u>L190</u>
<u>L189</u> negative near operand with (uninterruptible or atomic)	0 <u>L189</u>
<u>L188</u> restor\$3 with atomic adj operation	12 <u>L188</u>
<u>L187</u> L166 and L183	13 <u>L187</u>
<u>L186</u> L166and L183	98468 <u>L186</u>
<u>L185</u> L124 and L184	25 <u>L185</u>
<u>L184</u> L179 and L183	89 <u>L184</u>
<u>L183</u> (((upper and low\$3) or (start\$3 and end\$3)) near (address or value or limit))	98468 <u>L183</u>
<u>L182</u> ((upper and low\$3) or (start\$3 and end\$3) near (address or value or limit))	3517134 <u>L182</u>
<u>L181</u> L178 and L166	6 <u>L181</u>
<u>L180</u> L178 and L179	28 <u>L180</u>
<u>L179</u> (atomic\$4 near (operation or addit\$3 or subtract\$3))	2466 <u>L179</u>
<u>L178</u> (range near (upper or low\$3 or ((start\$3 or end\$3) near address)))	71486 <u>L178</u>
<u>L177</u> (atomic\$4 near (operation or addit\$3 or subtract\$3) with (upper or low\$3 or ((start\$3 or end\$3) near address)))	58 <u>L177</u>
<u>L176</u> (atomic\$4 near (operation or addit\$3 or subtract\$3) near (upper or low\$3 or ((start\$3 or end\$3) near address)))	3 <u>L176</u>
<u>L175</u> (atomic\$4 near (operation or addit\$3 or subtract\$3) near (range or limit))	2 <u>L175</u>
<u>L174</u> L161 and L173	68 <u>L174</u>
<u>L173</u> (atomic or uninterruptible) near operation with memory	356 <u>L173</u>
<u>L172</u> atomic adj operation with shared near value	2 <u>L172</u>
<u>L171</u> L124 and L170	44 <u>L171</u>
<u>L170</u> ((add\$5 or subtract\$3 or \$2crement) with ((shared or common) near (memory or address)) with ((valid near (transaction or log)) or lock\$3 or block\$3))	138 <u>L170</u>
<u>L169</u> atomic near operation with operand	25 <u>L169</u>
<u>L168</u> xadd near lock	1 <u>L168</u>
<u>L167</u> L165 and L166	27 <u>L167</u>
<u>L166</u> L164 or lock\$1free	435 <u>L166</u>

<u>L165</u> ((addit\$3 or subtract\$3) near operation)	33188	<u>L165</u>
<u>L164</u> ((without or no) near (lock\$3 or block\$3) and (atomic near operation))	290	<u>L164</u>
<u>L163</u> atomic near operation and L145	3	<u>L163</u>
<u>L162</u> L160 and L161	24	<u>L162</u>
<u>L161</u> ((shared or common) near resources)	11663	<u>L161</u>
<u>L160</u> ((atomic near operation) with (add\$5 or subtract\$3 or delet\$3))	175	<u>L160</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L159</u> '6513057'.pn.	1	<u>L159</u>
<u>L158</u> '6360220'.pn.	1	<u>L158</u>
<u>L157</u> '6360220'.pn.	1	<u>L157</u>
<u>L156</u> '6178473'.pn.	1	<u>L156</u>
<u>L155</u> '5966547'.pn.	1	<u>L155</u>
<u>L154</u> '5553305'.pn.	1	<u>L154</u>
<u>L153</u> '5553305'.pn.	1	<u>L153</u>
<u>L152</u> '5485626'.pn.	1	<u>L152</u>
<u>L151</u> '5471593'.pn.	1	<u>L151</u>
<u>L150</u> '5319778'.pn.	1	<u>L150</u>
<u>L149</u> '4847754'.pn.	1	<u>L149</u>
<u>L148</u> '4847754'.pn.	1	<u>L148</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L147</u> L117 and L145	64	<u>L147</u>
<u>L146</u> L142 and L145	0	<u>L146</u>
<u>L145</u> ((add\$6 or subtract) with (without near (lock\$3 or block\$3)))	735	<u>L145</u>
<u>L144</u> ((add\$6 or subtract) without (lock\$3 or block\$3))	11443831	<u>L144</u>
<u>L143</u> L65 and L142	15	<u>L143</u>
<u>L142</u> ((compar\$5 or determin\$5 or test\$3 or check\$3) with (threshold or range or interval or boundar\$3)) with ((shared or common) near (memory or region or address))	245	<u>L142</u>
<u>L141</u> L69 and L131	47	<u>L141</u>
<u>L140</u> L69 and L132	0	<u>L140</u>
<u>L139</u> ((compar\$5 or determin\$5 or test\$3 or check\$3) with (threshold or range or interval or boundar\$3)) with reservation near register	1	<u>L139</u>
<u>L138</u> ((compar\$5 or determin\$5 or test\$3 or check\$3) with (threshold or (within near (range or interval or boundar\$3)))) with reservation near register	0	<u>L138</u>
<u>L137</u> ((compar\$5 or determin\$5 or test\$3 or check\$3) near (threshold or (within near (range or interval or boundar\$3)))) with reservation	13	<u>L137</u>
<u>L136</u> ((compar\$5 or determin\$5 or test\$3 or check\$3) near (threshold or (within near (range or interval or boundar\$3)))) with (reservation near register)	0	<u>L136</u>
<u>L135</u> L124 and L134	8	<u>L135</u>
<u>L134</u> L66 and L133	98	<u>L134</u>
<u>L133</u> L65 and L132	1363	<u>L133</u>
<u>L132</u> ((compar\$5 or determin\$5 or test\$3 or check\$3) near (threshold or (within near (range or interval or boundar\$3))))	73757	<u>L132</u>

<u>L131</u>	((compar\$5 or determin\$5 or test\$3 or check\$3) with (threshold or (within near (range or interval or boundar\$3))))	273326	<u>L131</u>
<u>L130</u>	L126 and L128	5	<u>L130</u>
<u>L129</u>	L126 and L128	5	<u>L129</u>
<u>L128</u>	((test\$3 or check\$3 or determin\$3 or compar\$5) with (upper or low\$2 or high\$3) near range)	8161	<u>L128</u>
<u>L127</u>	(upper or low\$2 or high\$3) near range	114711	<u>L127</u>
<u>L126</u>	addition and subtraction and L124	1480	<u>L126</u>
<u>L125</u>	addition and sbtraction and L124	0	<u>L125</u>
<u>L124</u>	L119 or L120 or L121 or L122 or L123	37113	<u>L124</u>
<u>L123</u>	(711/101 711/102 711/103 711/104 711/105 711/106 711/107 711/108 711/109 711/110 711/111 711/112 711/113 711/114 711/115 711/116 711/117 711/118 711/119 711/120 711/121 711/122 711/123 711/124 711/125 711/126 711/127 711/128 711/129 711/130 711/131 711/132 711/133 711/134 711/135 711/136 711/137 711/138 711/139 711/140 711/141 711/142 711/143 711/144 711/145 711/146 711/147 711/148 711/149 711/150 711/151 711/152 711/153 711/154 711/155 711/156 711/157 711/158 711/159 711/160 711/161 711/162 711/163 711/164 711/165 711/166 711/167 711/168 711/169 711/170 711/171 711/172 711/173).ccls.	22433	<u>L123</u>
<u>L122</u>	(719/312).ccls.	155	<u>L122</u>
<u>L121</u>	(718/104).ccls.	1015	<u>L121</u>
<u>L120</u>	(710/1 710/2 710/3 710/4 710/5 710/6 710/7 710/8 710/9 710/10 710/11 710/12 710/13 710/14 710/15 710/16 710/17 710/18 710/19 710/20 710/21 710/22 710/23 710/24 710/25 710/26 710/27 710/28 710/29 710/30 710/31 710/32 710/33 710/34 710/35 710/36 710/37 710/38 710/39 710/40 710/41 710/42 710/43 710/44 710/45 710/46 710/47 710/48 710/49 710/50 710/51 710/52 710/53 710/54 710/55 710/56 710/57 710/58 710/59 710/60 710/61 710/62 710/63 710/64 710/65 710/66 710/67 710/68 710/69 710/70 710/71 710/72 710/73 710/74).ccls.	14539	<u>L120</u>
<u>L119</u>	(712/214 712/215 712/200 712/201 712/202 712/203 712/221).ccls.	1715	<u>L119</u>
<u>L118</u>	L65 and L66 and L67 and L117	113	<u>L118</u>
<u>L117</u>	((test\$3 or check\$3 or determin\$3 or compar\$5) near value)	370042	<u>L117</u>
<u>L116</u>	L68 and L114	16	<u>L116</u>
<u>L115</u>	L92 and L114	0	<u>L115</u>
<u>L114</u>	(restor\$4 or updat\$3 or compar\$5) near reserv\$5	3670	<u>L114</u>
<u>L113</u>	L75 and L111	12	<u>L113</u>
<u>L112</u>	L67 and L111	4	<u>L112</u>
<u>L111</u>	L96 and L110	199	<u>L111</u>
<u>L110</u>	((test\$3 or check\$3 or determin\$3) near range)	55663	<u>L110</u>
<u>L109</u>	((add\$5 or subtract\$3 or increment\$3 or decrement\$3) near (operation or instruction) with ((common or shared) near memory))	32	<u>L109</u>
<u>L108</u>	range with reservation adj registers	0	<u>L108</u>
<u>L107</u>	range with reservation adj register	0	<u>L107</u>
<u>L106</u>	range near value with reservation adj register	0	<u>L106</u>

<u>L105</u> (low\$4 or upper or high\$4) adj value with reservation	30	<u>L105</u>
<u>L104</u> (low\$4 or upper or high\$4) adj value with reservation adj registers	0	<u>L104</u>
<u>L103</u> @pd<19991202 and L102	49	<u>L103</u>
<u>L102</u> L97 and L101	79	<u>L102</u>
<u>L101</u> (restor\$4 or updat\$3 or compar\$5)	4092807	<u>L101</u>
<u>L100</u> (restor\$4 with (reserv\$7 adj register\$1))	3	<u>L100</u>
<u>L99</u> (restor\$4 near (reserv\$7 adj register\$1))	1	<u>L99</u>
<u>L98</u> L96 and L97	6	<u>L98</u>
<u>L97</u> (compar\$5 near (limit near registers))	79	<u>L97</u>
<u>L96</u> ((add\$5 or subtract\$3 or increment\$3 or decrement\$3) adj registers)	8500	<u>L96</u>
<u>L95</u> L72 and L92	1	<u>L95</u>
<u>L94</u> L75 and L92	1	<u>L94</u>
<u>L93</u> L88 and L92	5	<u>L93</u>
<u>L92</u> (upper or lower) adj limit near registers	214	<u>L92</u>
<u>L91</u> L73 and L88	42	<u>L91</u>
<u>L90</u> L78 and L88	2	<u>L90</u>
<u>L89</u> L80 and L88	3	<u>L89</u>
<u>L88</u> ((lock\$3 or block\$3) near (no or free))	39250	<u>L88</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>		
<u>L87</u> 5966547.pn.	1	<u>L87</u>
<u>L86</u> 5471593.pn.	1	<u>L86</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L85</u> L75 and L83	16	<u>L85</u>
<u>L84</u> L80 and L83	0	<u>L84</u>
<u>L83</u> ((add\$5 or subtract\$3 or increment\$3 or decrement\$3) with ((no or without) near (lock\$3 or block\$3)))	1708	<u>L83</u>
<u>L82</u> L75 and L80	1	<u>L82</u>
<u>L81</u> L72 and L80	0	<u>L81</u>
<u>L80</u> (compar\$5 with (upper and lower) near value)	449	<u>L80</u>
<u>L79</u> L72 and L78	1	<u>L79</u>
<u>L78</u> (compar\$5 with (reserv\$5 near register))	36	<u>L78</u>
<u>L77</u> (compar\$5 near (reserv\$5 near register))	3	<u>L77</u>
<u>L76</u> L72 and L75	8	<u>L76</u>
<u>L75</u> (uninterrupt\$4 or atomic) near (operation or task)	4985	<u>L75</u>
<u>L74</u> L72 and L73	0	<u>L74</u>
<u>L73</u> reserv\$6 near (limit or range)	1763	<u>L73</u>
<u>L72</u> ((add\$5 or subtract\$3 or increment\$3 or decrement\$3) near ((common or shared) near memory))	211	<u>L72</u>
<u>L71</u> ((add\$5 or subtract\$3) near shared near value)	9	<u>L71</u>
<u>L70</u> (reserv\$6 near register\$1 with (upper or lower))	27	<u>L70</u>
<u>L69</u> L65 and L66 and L67 and L68	85	<u>L69</u>
<u>L68</u> limit adj register\$1	1086	<u>L68</u>

<u>L67</u>	reserv\$6 near register\$1	1724	<u>L67</u>
<u>L66</u>	((shared or common) near memory)	30176	<u>L66</u>
<u>L65</u>	((add\$6 or subtract\$3 or decrement\$3 or increment\$3) adj (instruction or operation))	38402	<u>L65</u>
<u>L64</u>	L59 and L62	12	<u>L64</u>
<u>L63</u>	L61 and L62	2	<u>L63</u>
<u>L62</u>	lock near (add\$4 or subtract\$3)	1746	<u>L62</u>
<u>L61</u>	711/??? and L59	198	<u>L61</u>
<u>L60</u>	L55 and L59	0	<u>L60</u>
<u>L59</u>	(L48 or L50) and L58	954	<u>L59</u>
<u>L58</u>	((location or address or memory) near (upper or lower or start\$3 or end\$3))	100882	<u>L58</u>
<u>L57</u>	L55 and L56	2	<u>L57</u>
<u>L56</u>	((updat\$3 or restor\$3) near (location or address or memory)) with (range or upper or lower or start\$3 or end\$3))	2002	<u>L56</u>
<u>L55</u>	((add\$5 or subtract\$3 or delet\$3 or remov\$2 or inser\$5) near ((shared or common) near memory))	269	<u>L55</u>
<u>L54</u>	(L48 or L50) and L53	88	<u>L54</u>
<u>L53</u>	((add\$5 or subtract\$3 or delet\$3 or remov\$2 or inser\$5) with ((shared or common) near memory))	2086	<u>L53</u>
<u>L52</u>	((add\$5 or subtract\$3) with ((shared or common) near memory))	1652	<u>L52</u>
<u>L51</u>	L48 and L50	25	<u>L51</u>
<u>L50</u>	exchange near add\$5	2198	<u>L50</u>
<u>L49</u>	L47 and L48	22	<u>L49</u>
<u>L48</u>	((non near blocking or lock\$1free) or (without near (lock\$3 or blocking)))	26069	<u>L48</u>
<u>L47</u>	((updat\$3 or restor\$3) near (loaction or address or memory)) with (range or upper or lower or start\$3 or end\$3))	1525	<u>L47</u>
<u>L46</u>	afadd and afsb	2	<u>L46</u>
<u>L45</u>	L27 and L42	42	<u>L45</u>
<u>L44</u>	L32 and L42	2	<u>L44</u>
<u>L43</u>	L34 and L42	3	<u>L43</u>
<u>L42</u>	((lock\$3 or block\$3) near (no or free))	39250	<u>L42</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L41</u>	5966547.pn.	1	<u>L41</u>
<u>L40</u>	5471593.pn.	1	<u>L40</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L39</u>	L29 and L37	16	<u>L39</u>
<u>L38</u>	L34 and L37	0	<u>L38</u>
<u>L37</u>	((add\$5 or subtract\$3 or increment\$3 or decrement\$3) with ((no or without) near (lock\$3 or block\$3)))	1708	<u>L37</u>
<u>L36</u>	L29 and L34	1	<u>L36</u>
<u>L35</u>	L26 and L34	0	<u>L35</u>
<u>L34</u>	(compar\$5 with (upper and lower) near value)	449	<u>L34</u>

<u>L33</u>	L26 and L32	1	<u>L33</u>
<u>L32</u>	(compar\$5 with (reserv\$5 near register))	36	<u>L32</u>
<u>L31</u>	(compar\$5 near (reserv\$5 near register))	3	<u>L31</u>
<u>L30</u>	L26 and L29	8	<u>L30</u>
<u>L29</u>	(uninterrupt\$4 or atomic) near (operation or task)	4985	<u>L29</u>
<u>L28</u>	L26 and L27	0	<u>L28</u>
<u>L27</u>	reserv\$6 near (limit or range)	1763	<u>L27</u>
<u>L26</u>	((add\$5 or subtract\$3 or increment\$3 or decrement\$3) near ((common or shared) near memory))	211	<u>L26</u>
<u>L25</u>	((add\$5 or subtract\$3) near shared near value)	9	<u>L25</u>
<u>L24</u>	(reserv\$6 near register\$1 with (upper or lower))	27	<u>L24</u>
<u>L23</u>	L19 and L20 and L21 and L22	85	<u>L23</u>
<u>L22</u>	limit adj register\$1	1086	<u>L22</u>
<u>L21</u>	reserv\$6 near register\$1	1724	<u>L21</u>
<u>L20</u>	((shared or common) near memory)	30176	<u>L20</u>
<u>L19</u>	((add\$6 or subtract\$3 or decrement\$3 or increment\$3) adj (instruction or operation))	38402	<u>L19</u>
<u>L18</u>	L13 and L16	12	<u>L18</u>
<u>L17</u>	L15 and L16	2	<u>L17</u>
<u>L16</u>	lock near (add\$4 or subtract\$3)	1746	<u>L16</u>
<u>L15</u>	711/??? and L13	198	<u>L15</u>
<u>L14</u>	L9 and L13	0	<u>L14</u>
<u>L13</u>	(L2 or L4) and L12	954	<u>L13</u>
<u>L12</u>	((location or address or memory) near (upper or lower or start\$3 or end\$3))	100882	<u>L12</u>
<u>L11</u>	L9 and L10	2	<u>L11</u>
<u>L10</u>	((updat\$3 or restor\$3) near (location or address or memory)) with (range or upper or lower or start\$3 or end\$3))	2002	<u>L10</u>
<u>L9</u>	((add\$5 or subtract\$3 or delet\$3 or remov\$2 or inser\$5) near ((shared or common) near memory))	269	<u>L9</u>
<u>L8</u>	(L2 or L4) and L7	88	<u>L8</u>
<u>L7</u>	((add\$5 or subtract\$3 or delet\$3 or remov\$2 or inser\$5) with ((shared or common) near memory))	2086	<u>L7</u>
<u>L6</u>	((add\$5 or subtract\$3) with ((shared or common) near memory))	1652	<u>L6</u>
<u>L5</u>	L2 and L4	25	<u>L5</u>
<u>L4</u>	exchange near add\$5	2198	<u>L4</u>
<u>L3</u>	L1 and L2	22	<u>L3</u>
<u>L2</u>	((non near blocking or lock\$1 free) or (without near (lock\$3 or blocking)))	26069	<u>L2</u>
<u>L1</u>	((updat\$3 or restor\$3) near (loaction or address or memory)) with (range or upper or lower or start\$3 or end\$3))	1525	<u>L1</u>

END OF SEARCH HISTORY